Neuroscience Letters, 191 (1995) 208–210
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, T., see Funakoshi, K., 181
Albers, H.E., Gillespie, C.F., Babagbemi, T.O., Huhman, K.L., Analysis of the phase shifting effects of gastrin releasing peptide when microinjected into the suprachiasmatic region, 63
Anadón, R., Manso, M.J., Rodríguez-Moldes, I., Becerra, M., Neurons of the olfactory organ projecting to the caudal telencephalon and hypothalamus: a carbocyanine-dye labelling study in the brown trout (Teleostei), 157
Anderson, G.F., see Goodwin, B.P., 131
Angstwurm, K., Weber, J.R., Segert, A., Bürger, W., Weih, M., Freyer, D., Einhäupl, K.M., Dirnagl, U., Fucoidin, a polysaccharide inhibiting leukocyte rolling, attenuates inflammatory responses in experimental pneumococcal meningitis in rats, 1
Angulo, J.A., see Villegas, M., 51
Angus, W.G.R., Contreras, M.L., Aroclor 1254 alters the binding of ^{125}I-labeled nerve growth factor in PC12 cells, 23
Ashworth-Preece, M.A., Jarrott, B., Lawrence, A.J., 5-Hydroxytryptamine$_3$ receptor modulation of excitatory amino acid release in the rat nucleus tractus solitarius, 75

Babagbemi, T.O., see Albers, H.E., 63
Baker, R.E., see Brussaard, A.B., 111
Barraco, R.A., see Goodwin, B.P., 131
Beach, T.G., Woodhurst, W.B., MacDonald, D.B., Jones, M.W., Reactive microglia in hippocampal sclerosis associated with human temporal lobe epilepsy, 27
Becerra, M., see Anadón, R., 157
Bergold, P.J., see Casaccia-Bonnefil, P., 67
Bernardis, J., see Korneyev, A., 19
Billek, M., see Schmidt, K.-F., 177
Binder, L., see Korneyev, A., 19
Blasig, I.E., see Giese, H., 169
Bonnefond, C., see Tessonneaud, A., 5
Brent, P.J., Haynes, H., Jarvie, P.E., Mudge, L., Sim, A.T.R., Dunkley, P.R., Phosphorylation of synapsin I and dynamin in rat forebrain synaptosomes: modulation by sigma (σ) ligands, 71
Brines, M.L., Dare, A.O., de Lanerolle, N.C., The cardiac glycoside ouabain potentiates excitotoxic injury of adult neurons in rat hippocampus, 145
Brussaard, A.B., Baker, R.E., Antisense oligonucleotide-induced block of individual GABA$_A$ receptor α subunits in cultured visual cortex slices reduces amplitude of evoked inhibitory postsynaptic currents, 111
Bürger, W., see Angstwurm, K., 1

Carpenter, D.O., see Riepe, M., 35
Carriger, M.L., see Vickroy, T.W., 200
Casaccia-Bonnefil, P., Stelzer, A., Federoff, H.J., Bergold, P.J., A role for mossy fiber activation in the loss of CA3 and hilar neurons induced by transduction of the GluR6 kainate receptor subunit, 67
Ceña, V., see Fernández, J.M., 59
Clifton, G.L., see Hayes, R.L., 121
Contreras, M.L., see Angus, W.G.R., 23
Courtois, Y., see Schmidt, K.-F., 177
Cowburn, R.F., Wiehager, B., Sundström, E., β-Amyloid peptides enhance binding of the calcium mobilising second messengers, inositol(1,4,5)trisphosphate and inositol-(1,3,4,5)tetrakisphosphate to their receptor sites in rat cortical membranes, 31

Dare, A.O., see Brines, M.L., 145
de Lanerolle, N.C., see Brines, M.L., 145
Dean, C., see Seagard, J.L., 13
Decchi, B., see Rossi, A., 205
Dirnagl, U., see Angstwurm, K., 1
Dobson, S.P., see Paterson, J.M., 185
Dragunow, M., Ref-1 expression in adult mammalian neurons and astrocytes, 189
Dun, N.J., Dun, S.L., Hwang, L.L., Förstermann, U., Infrequent co-existence of nitric oxide synthase and parvalbumin, calbindin and calretinin immunoreactivity in rat pontine neurons, 165
Dun, S.L., see Dun, N.J., 165
Dunkley, P.R., see Brent, P.J., 71

Einhäupl, K.M., see Angstwurm, K., 1

Faustinella, F., see Hayes, R.L., 121
Federoff, H.J., see Casaccia-Bonnefil, P., 67
Fernández, J.M., Granja, R., Izaguirre, V., González-García, C., Ceña, V., ω-Conotoxin GVIA blocks nicotine-induced catecholamine secretion by blocking the nicotinic receptor-activated inward currents in bovine chromaffin cells, 59
Förstermann, U., see Dun, N.J., 165
Freyer, D., see Angstwurm, K., 1
Fukamauchi, F., see Ishimaru, M., 107
Funakoshi, K., Abe, T., Kishida, R., NADPH-diaphorase activity in the sympathetic preganglionic neurons of the filefish, *Stephanolepis cirrhifer*, 181

Ganguly, P.K., see Kirouac, G.J., 197
Giese, H., Mertsch, K., Blasig, I.E., Effect of MK-801 and U83836E on a porcine brain capillary endothelial cell barrier during hypoxia, 169
Gillespie, C.F., see Albers, H.E., 63
Golabek, A., Marques, M.A., Lalowski, M., Wisniewski, T., Amyloid β binding proteins in vitro and in normal human cerebrospinal fluid, 79
González-García, C., see Fernández, J.M., 59
Goodwin, B.P., Anderson, G.F., Barraco, R.A., Characterization of muscarinic receptors in the rat nucleus tractus solitarius, 131
Gorman, A.M., Scott, M.P., Rumsby, P.C., Meredith, C., Griffiths, R., Excitatory amino acid-induced cytotoxicity in primary cultures of mouse cerebellar granule cells correlates with elevated, sustained c-*fos* proto-oncogene expression, 116
Goureau, O., see Schmidt, K.-F., 177
Granja, R., see Fernández, J.M., 59
Grass, K., Prast, H., Philippu, A., Ultradian rhythm in the delta and theta frequency bands of the EEG in the posterior hypothalamus of the rat, 161
Griffiths, R., see Gorman, A.M., 116

Hänninen,V, see Helkala, E.-L., 141
Hashimoto, T., see Ishimaru, M., 107
Hayes, R.L., Yang, K., Whitson, J.S., Xue, J.J., Kampfl, A., Mu, X.S., Zhao, X., Faustinella, F., Clifton, G.L., Rescue of injury-induced neurofilament loss by BDNF gene transfection in primary septo-hippocampal cell cultures, 121
Haynes, H., see Brent, P.J., 71
Helkala, E.-L., Koivisto, K., Hänninen,V, Vanhanen, M., Kervinen, K.,

Neuroscience Letters, 191 (1995) 208–210
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, T., see Funakoshi, K., 181
Albers, H.E., Gillespie, C.F., Babagbemi, T.O., Huhman, K.L., Analysis of the phase shifting effects of gastrin releasing peptide when microinjected into the suprachiasmatic region, 63
Anadón, R., Manso, M.J., Rodríguez-Moldes, I., Becerra, M., Neurons of the olfactory organ projecting to the caudal telencephalon and hypothalamus: a carbocyanine-dye labelling study in the brown trout (Teleostei), 157
Anderson, G.F., see Goodwin, B.P., 131
Angstwurm, K., Weber, J.R., Segert, A., Bürger, W., Weih, M., Freyer, D., Einhäupl, K.M., Dirnagl, U., Fucoidin, a polysaccharide inhibiting leukocyte rolling, attenuates inflammatory responses in experimental pneumococcal meningitis in rats, 1
Angulo, J.A., see Villegas, M., 51
Angus, W.G.R., Contreras, M.L., Aroclor 1254 alters the binding of ^{125}I-labeled nerve growth factor in PC12 cells, 23
Ashworth-Preece, M.A., Jarrott, B., Lawrence, A.J., 5-Hydroxytryptamine$_3$ receptor modulation of excitatory amino acid release in the rat nucleus tractus solitarius, 75

Babagbemi, T.O., see Albers, H.E., 63
Baker, R.E., see Brussaard, A.B., 111
Barraco, R.A., see Goodwin, B.P., 131
Beach, T.G., Woodhurst, W.B., MacDonald, D.B., Jones, M.W., Reactive microglia in hippocampal sclerosis associated with human temporal lobe epilepsy, 27
Becerra, M., see Anadón, R., 157
Bergold, P.J., see Casaccia-Bonnefil, P., 67
Bernardis, J., see Korneyev, A., 19
Billek, M., see Schmidt, K.-F., 177
Binder, L., see Korneyev, A., 19
Blasig, I.E., see Giese, H., 169
Bonnefond, C., see Tessonneaud, A., 5
Brent, P.J., Haynes, H., Jarvie, P.E., Mudge, L., Sim, A.T.R., Dunkley, P.R., Phosphorylation of synapsin I and dynamin in rat forebrain synaptosomes: modulation by sigma (σ) ligands, 71
Brines, M.L., Dare, A.O., de Lanerolle, N.C., The cardiac glycoside ouabain potentiates excitotoxic injury of adult neurons in rat hippocampus, 145
Brussaard, A.B., Baker, R.E., Antisense oligonucleotide-induced block of individual GABA$_A$ receptor α subunits in cultured visual cortex slices reduces amplitude of evoked inhibitory postsynaptic currents, 111
Bürger, W., see Angstwurm, K., 1

Carpenter, D.O., see Riepe, M., 35
Carriger, M.L., see Vickroy, T.W., 200
Casaccia-Bonnefil, P., Stelzer, A., Federoff, H.J., Bergold, P.J., A role for mossy fiber activation in the loss of CA3 and hilar neurons induced by transduction of the GluR6 kainate receptor subunit, 67
Ceña, V., see Fernández, J.M., 59
Clifton, G.L., see Hayes, R.L., 121
Contreras, M.L., see Angus, W.G.R., 23
Courtois, Y., see Schmidt, K.-F., 177
Cowburn, R.F., Wiehager, B., Sundström, E., β-Amyloid peptides enhance binding of the calcium mobilising second messengers, inositol(1,4,5)trisphosphate and inositol-(1,3,4,5)tetrakisphosphate to their receptor sites in rat cortical membranes, 31

Dare, A.O., see Brines, M.L., 145
de Lanerolle, N.C., see Brines, M.L., 145
Dean, C., see Seagard, J.L., 13
Decchi, B., see Rossi, A., 205
Dirnagl, U., see Angstwurm, K., 1
Dobson, S.P., see Paterson, J.M., 185
Dragunow, M., Ref-1 expression in adult mammalian neurons and astrocytes, 189
Dun, N.J., Dun, S.L., Hwang, L.L., Förstermann, U., Infrequent co-existence of nitric oxide synthase and parvalbumin, calbindin and calretinin immunoreactivity in rat pontine neurons, 165
Dun, S.L., see Dun, N.J., 165
Dunkley, P.R., see Brent, P.J., 71

Einhäupl, K.M., see Angstwurm, K., 1

Faustinella, F., see Hayes, R.L., 121
Federoff, H.J., see Casaccia-Bonnefil, P., 67
Fernández, J.M., Granja, R., Izaguirre, V., González-García, C., Ceña, V., ω-Conotoxin GVIA blocks nicotine-induced catecholamine secretion by blocking the nicotinic receptor-activated inward currents in bovine chromaffin cells, 59
Förstermann, U., see Dun, N.J., 165
Freyer, D., see Angstwurm, K., 1
Fukamauchi, F., see Ishimaru, M., 107
Funakoshi, K., Abe, T., Kishida, R., NADPH-diaphorase activity in the sympathetic preganglionic neurons of the filefish, *Stephanolepis cirrhifer*, 181

Ganguly, P.K., see Kirouac, G.J., 197
Giese, H., Mertsch, K., Blasig, I.E., Effect of MK-801 and U83836E on a porcine brain capillary endothelial cell barrier during hypoxia, 169
Gillespie, C.F., see Albers, H.E., 63
Golabek, A., Marques, M.A., Lalowski, M., Wisniewski, T., Amyloid β binding proteins in vitro and in normal human cerebrospinal fluid, 79
González-García, C., see Fernández, J.M., 59
Goodwin, B.P., Anderson, G.F., Barraco, R.A., Characterization of muscarinic receptors in the rat nucleus tractus solitarius, 131
Gorman, A.M., Scott, M.P., Rumsby, P.C., Meredith, C., Griffiths, R., Excitatory amino acid-induced cytotoxicity in primary cultures of mouse cerebellar granule cells correlates with elevated, sustained c-*fos* proto-oncogene expression, 116
Goureau, O., see Schmidt, K.-F., 177
Granja, R., see Fernández, J.M., 59
Grass, K., Prast, H., Philippu, A., Ultradian rhythm in the delta and theta frequency bands of the EEG in the posterior hypothalamus of the rat, 161
Griffiths, R., see Gorman, A.M., 116

Hänninen,V, see Helkala, E.-L., 141
Hashimoto, T., see Ishimaru, M., 107
Hayes, R.L., Yang, K., Whitson, J.S., Xue, J.J., Kampfl, A., Mu, X.S., Zhao, X., Faustinella, F., Clifton, G.L., Rescue of injury-induced neurofilament loss by BDNF gene transfection in primary septo-hippocampal cell cultures, 121
Haynes, H., see Brent, P.J., 71
Helkala, E.-L., Koivisto, K., Hänninen,V, Vanhanen, M., Kervinen, K.,

Kuusisto, J., Mykkänen, L., Kesäniemi, Y.A., Laakso, M., Riekkinen, Sr., P., The association of apolipoprotein E polymorphism with memory: a population based study, 141
Hermann, A., see Lahnsteiner, E., 153
Hidaka, H., see Iino, S., 91
Hinterhuber, H., see Telser, S., 83
Hirota, A., see Momose-Sato, Y., 193
Hopp, F.A., see Seagard, J.L., 13
Huhman, K.L., see Albers, H.E., 63
Hwang, L.L., see Dun, N.J., 165

Iino, S., Kobayashi, S., Okazaki, K., Hidaka, H., Neurocalcin-immunoreactive receptor cells in the rat olfactory epithelium and vomeronasal organ, 91
Ishimaru, M., Hashimoto, T., Obata, K., Fukamauchi, F., Methamphetamine-induced dopaminergic hyperactivity is not accompanied with increase in tyrosine hydroxylase mRNA of the rat midbrain, 107
Izaguirre, V., see Fernández, J.M., 59

Jarrott, B., see Ashworth-Preece, M.A., 75
Jarvie, P.E., see Brent, P.J., 71
Jones, M.W., see Beach, T.G., 27

Kaksonen, M., see Nolo, R., 39
Kamino, K., see Momose-Sato, Y., 193
Kampfl, A., see Hayes, R.L., 121
Kanthan, R., see Shuaib, A., 87
Kawabe, T., see Wen, T.-C., 55
Kawai, N., see Tsubokawa, H., 95
Kawasaki, K., see Yasui, M., 99
Keller, Jr., R.W., see Snyder-Keller, A.M., 149
Kervinen, K., see Helkala, E.-L., 141
Kesäniemi, Y.A., see Helkala, E.-L., 141
Kirouac, G.J., Ganguly, P.K., Up-regulation of cholecystokinin receptors in the nucleus accumbens of the young prehypertensive spontaneously hypertensive rat, 197
Kishida, R., see Funakoshi, K., 181
Kobayashi, S., see Iino, S., 91
Kobayashi, T., see Yamada, T., 103
Koivisto, K., see Helkala, E.-L., 141
Kondo, N., see Sawada, M., 173
Korneyev, A., Binder, L., Bernardis, J., Rapid reversible phosphorylation of rat brain tau proteins in response to cold water stress, 19
Kudernatsch, M.B., see Schlösser, B., 126
Kuusisto, J., see Helkala, E.-L., 141

Laakso, M., see Helkala, E.-L., 141
Lahnsteiner, E., Hermann, A., Acute action of ethanol on rat hippocampal CA1 neurons: effects on intracellular signaling, 153
Lalowski, M., see Golabek, A., 79
Lawrence, A.J., see Ashworth-Preece, M.A., 75
Liu, X.-G., Sandkühler, J., Long-term potentiation of C-fiber-evoked potentials in the rat spinal dorsal horn is prevented by spinal *N*-methyl-D-aspartic acid receptor blockage, 43

MacDonald, D.B., see Beach, T.G., 27
Malphurs, W.L., see Vickroy, T.W., 200
Manso, M.J., see Anadón, R., 157
Marksteiner, J., see Telser, S., 83
Marques, M.A., see Golabek, A., 79
Marunouchi, T., see Sawada, M., 173
Masuzawa, T., see Tsubokawa, H., 95
Matsuda, M., see Tanaka, J., 47
Matsuda, S., see Wen, T.-C., 55
Mazzocchio, R., see Rossi, A., 205
McAllister, J., see Paterson, J.M., 185
Meredith, C., see Gorman, A.M., 116
Mertsch, K., see Giese, H., 169
Momose-Sato, Y., Sato, K., Sakai, T., Hirota, A., Kamino, K., A novel γ-aminobutyric acid response in the embryonic brainstem as revealed by voltage-sensitive dye recording, 193
Monnerie, R., see Tessonneaud, A., 5
Morrison, C.F., see Paterson, J.M., 185
Mu, X.S., see Hayes, R.L., 121
Mudge, L., see Brent, P.J., 71
Mykkänen, L., see Helkala, E.-L., 141

Nöll, G.N., see Schmidt, K.-F., 177
Nolo, R., Kaksonen, M., Raulo, E., Rauvala, H., Co-expression of heparin-binding growth-associated molecule (HB-GAM) and N-syndecan (syndecan-3) in developing rat brain, 39

Obata, K., see Ishimaru, M., 107
Oguro, K., see Tsubokawa, H., 95
Okazaki, K., see Iino, S., 91

Paterson, J.M., Morrison, C.F., Dobson, S.P., McAllister, J., Quinn, J.P., Characterisation of a functional E box motif in the proximal rat preprotachykinin-A promoter, 185
Perez-Polo, J.R., see Tong, L., 137
Philippu, A., see Grass, K., 161
Pietruck, C., see Schmidt, K.-F., 177
Prast, H., see Grass, K., 161

Quinn, J.P., see Paterson, J.M., 185

Raulo, E., see Nolo, R., 39
Rauvala, H., see Nolo, R., 39
Riekkinen, Sr., P., see Helkala, E.-L., 141
Riepe, M., Carpenter, D.O., Delayed increase of cell volume of single pyramidal cells in live rat hippocampal slices upon kainate application, 35
Rodríguez-Moldes, I., see Anadón, R., 157
Rossi, A.,Decchi, B., Zalaffi, A., Mazzocchio, R., Group Ia non-reciprocal inhibition from wrist extensor to flexor motoneurones in humans, 205
Rumsby, P.C., see Gorman, A.M., 116

Saito, H., see Tanaka, J., 47
Sakai, T., see Momose-Sato, Y., 193
Sakanaka, M., see Wen, T.-C., 55
Salero-Coca, E., Vergara, P., Segovia, J., Intracellular increases of cAMP induce opposite effects in glutamic acid decarboxylase (GAD_{67}) and glial fibrillary acidic protein immunoreacivities in C6 cells, 9
Sandkühler, J., see Liu, X.-G., 43
Saria, A., see Telser, S., 83
Sato, K., see Momose-Sato, Y., 193
Sawada, M., Kondo, N., Marunouchi, T., Programmed cell death of PC12 induced by adenovirus E1A, 173

Schlösser, B., Kudernatsch, M.B., Sutor, B., ten Bruggencate, G., δ, μ and κ opioid receptor agonists inhibit dopamine overflow in rat neostriatal slices, 126
Schmidt, K.-F., Billek, M., Pietruck, C., Nöll, G.N., Goureau, O., Courtois, Y., Fibroblast growth factors alter light responses and dark voltage in retinal rods of the frog (*Rana temporaria*), 177
Scott, M.P., see Gorman, A.M., 116
Seagard, J.L., Dean, C., Hopp, F.A., Discharge patterns of baroreceptor-modulated neurons in the nucleus tractus solitarius, 13
Segert, A., see Angstwurm, K., 1
Segovia, J., see Salero-Coca, E., 9
Shuaib, A., Waqar, T., Wishart, T., Kanthan, R., Post-ischemic therapy with CGS-19755 (alone or in combination with hypothermia) in gerbils, 87
Sim, A.T.R., see Brent, P.J., 71
Snyder-Keller, A.M., Keller, Jr., R.W., Prenatal cocaine alters later sensitivity to cocaine-induced seizures, 149
Stelzer, A., see Casaccia-Bonnefil, P., 67
Sundström, E., see Cowburn, R.F., 31
Sutor, B., see Schlösser, B., 126

Tanaka, J., Ushigome, A., Matsuda, M., Saito, H., Responses of median preoptic neurons projecting to the hypothalamic paraventricular nucleus to osmotic stimulation in Wistar–Kyoto and spontaneously hypertensive rats, 47
Telser, S., Marksteiner, J., Hinterhuber, H., Saria, A., Distribution of secretoneurin-like immunoreactivity in comparison with that of substance P in the human spinal cord, 83
ten Bruggencate, G., see Schlösser, B., 126
Tessonneaud, A., Bonnefond, C., Monnerie, R., Viguier-Martinez, M.-C., Distribution of arginine-vasopressin and vasoactive intestinal peptide messenger RNA in the suprachiasmatic nucleus of the sheep, 5
Tong, L., Perez-Polo, J.R., Transcription factor DNA binding activity in PC12 cells undergoing apoptosis after glucose deprivation, 137
Tsubokawa, H., Oguro, K., Masuzawa, T., Kawai, N., Spontaneous excitatory postsynaptic currents in hippocampal CA1 pyramidal neurons of the gerbil after transient ischemia, 95

Ushigome, A., see Tanaka, J., 47

Vanhanen, M., see Helkala, E.-L., 141
Vergara, P., see Salero-Coca, E., 9
Vickroy, T.W., Malphurs, W.L., Carriger, M.L., Regulation of stimulus-dependent hippocampal acetylcholine release by okadaic acid-sensitive phosphoprotein phosphatases, 200
Viguier-Martinez, M.-C., see Tessonneaud, A., 5
Villegas, M., Angulo, J.A., Attenuation of neostriatal preproenkephalin and preprotachykinin mRNA abundance by chronic treatment with the kainate/quisqualate receptor antagonist 6-cyano-7-nitroquinoxaline-2,3-dione in the rat brain, 51

Waqar, T., see Shuaib, A., 87
Weber, J.R., see Angstwurm, K., 1
Weih, M., see Angstwurm, K., 1
Wen, T.-C., Matsuda, S., Yoshimura, H., Kawabe, T., Sakanaka, M., Ciliary neurotrophic factor prevents ischemia-induced learning disability and neuronal loss in gerbils, 55
Whitson, J.S., see Hayes, R.L., 121
Wiehager, B., see Cowburn, R.F., 31
Wishart, T., see Shuaib, A., 87
Wisniewski, T., see Golabek, A., 79
Woodhurst, W.B., see Beach, T.G., 27

Xue, J.J., see Hayes, R.L., 121

Yamada, T., Kobayashi, T., The mutation in amyloid precursor protein inhibits both α- and β-secretion, 103
Yang, K., see Hayes, R.L., 121
Yasui, M., Kawasaki, K., CCK_B receptor activation protects CA1 neurons from ischemia-induced dysfunction in stroke-prone spontaneously hypertensive rats hippocampal slices, 99
Yoshimura, H., see Wen, T.-C., 55

Zalaffi, A., see Rossi, A., 205
Zhao, X., see Hayes, R.L., 121